

Top Glue

Art.: 01.2110.9999
Aerosol can 150 ml

Top Glue is part of the Innotec Velours Repair System and the Innotec Velours Repair System - VW (VAS 6221). It is a flexible transparent spray glue for gluing velvet fibres to foam for repairs to seat upholstery and door panels.



Base:	Polyurethane
Density:	790 kg/m ³
Consistency:	Transparent liquid
Solvents:	Mixture of ketones and esters
Flash point:	< 0°C
Temperature resistance:	-30°C to +60°C
Moisture resistance:	Good. Not resistant to prolonged contact with water.
Solvent resistance:	Poor
Application conditions:	+15°C to +30°C
Type of surface:	Almost all modern upholstery
Surface preparation:	The surface must be clean, dry and free of grease.
Application method:	Spray on the repair area. If necessary repeat several times. See also the directions for use of the Innotec Velours Repair System .
Open time:	± 3 to 5 minutes
Drying time:	24 hours
Cleaning of materials used:	With Innotec Velours Repair Remover
Cleaning of hands:	With Innotec Safe Hand Clean Plus and water
Shelf life:	24 months in original, unopened packaging
Storage conditions:	Store cool and dry
Type of batchcode:	F
EAN Code:	5400563003312

This technical info sheet replaces all previous versions.





All information is supplied without obligation and based on our knowledge and experience with the product under normal conditions. In practice, the information supplied can in no way replace the tests that need to be performed before first use of the product. Only prior testing of the product can prove whether the product is indeed suitable for the intended application (or not). Thus, we cannot accept any responsibility in case our products are not used in compliance with the advices given.

If the product should not meet the quality requirements, we will only reimburse up to a maximum of the purchase price of the product. We accept no responsibility whatsoever and shall under no circumstances be liable for damage or consequential loss arising from the use of the product.

For information concerning safe use and storage, please refer to the safety data sheet of the product concerned.

